WC2A – C2



The TACREP can only be generated from UE through the TCSP / SMART

JDLM – C2



LOGFED
(JDLM)

BCS3
Main G/W

ITV

MSG

BCS3

Unit Asset Messages

CS1-001 Class 1 unit asset data
CS3-001 Class 3 unit asset data
Update2 Class 2 data
Update4 Class 4 unit Updates (upward)
Update5 Class 5 unit updates (upward)
Update7 Class 7 data
Update8 Class 8 unit updates
UpdateP Personnel Update data

Supply Point Asset Messages

CS1-002 - Class 1 Supply point data
CS2-002 - Class 2 data
CS3-002 - Class 3 Bulk Supply point data
CS3-003 - Class 3 Package Supply point data
UPDATE-SP4 - Class 4 unit Supply point data
UPDATE-SP5 - Class 5 unit Supply point data
CS9-001 - Class 9 Supply point data

LOGSTAT

JULU - Unit
JSPLU -Supply Point

ITV

JINT- Interrogator Position
JRFB - RF Tag data
RFSTATE - RF Tag interrogator detections
LDRA - RF Tag Closure
TRANS - Convoy position updates

MUSE – C2


MRF-W
WARSIM
MUSE
ASAS-L
USMTF C101 RECCEXREP
VMF K01.01 Free Text
AFATDS
JVMF K02.04 Call for Fire
VMF K01.01 Free Text

ISM C2 Messages (MRF-W)


ISM
SMTP Email (None)
Free Text (Sendmail)
Civilian Activity Report (Sendmail)
Attributable Event Report (Sendmail)
Hostile Exposed Report (Sendmail)
Hostile Captured Report (Sendmail)
Civilian Information Report (Sendmail)
ASAS
USMTF 2004 C101 RECCEXREP (user initiated) (Sendmail)
USMTF 2004 C111 TACREP (user initiated) (Sendmail)
USMTF 2004 C121 TACELINT (user initiated) (Sendmail)
USMTF 2004 C141 CI HUMINT Source Report (CIIHSR) (user initiated) (Sendmail)
USMTF 2004 C142 CI Information Report (CIIR) (user initiated) (Sendmail)
JVMF K01.01 Free Text (TCP/IP)
USMTF 2000 S309 ENSIT (Ground Truth) (Sendmail)

Legend: ISM to C2 systems
C2 System Name (Protocol Header)
Message format-Message Name-Transmission Type